

Affected Catalog Part Numbers (CPN):

PIC18F45Q10T-I/PTC02
PIC18F45Q10T-I/PT
PIC16LF15376-I/PT
PIC16LF15375T-I/PT
PIC16LF15376T-I/PT
PIC16F15375T-E/PT
PIC18F45Q43-E/PT
PIC18F45Q43-I/PT
PIC16F19175T-I/PT
PIC16F19176T-I/PT
PIC18F45Q43T-I/PT
PIC16LF19175T-I/PT
PIC16LF19176T-I/PT
PIC16F19176T-E/PT
PIC16F19175-E/PT
PIC16F19176-E/PT
PIC16LF19175-E/PT
PIC16LF19176-E/PT
PIC18F46Q83T-I/PT
PIC16LF19196-E/PT
PIC16LF19197-E/PT
PIC16LF19197-I/PTC03
PIC16F19196-I/PT
PIC16F19197-I/PT
PIC16LF19195-I/PT
PIC16LF19196-I/PT
PIC16LF19197-I/PT
PIC18LF45K42-E/PT
PIC18F45K42-E/PT
PIC18LF46K42-E/PT
PIC18F46K42-E/PT
PIC18F46Q84T-I/PT

MAAN-13VIEO815 - CCB 7138.001 Final Notice: Qualification of CuPdAu as a new wire material and QMI519 as a new die attach material for selected PIC16F1537x, PIC16F1887x, PIC16F1917x, PIC16F1919x, PIC18F44Q71, PIC18F45K4x, PIC18F45Qxx, PIC18F46K4x, PIC18F46Qxx, PIC18F47K4x, PIC18F47Qxx, PIC18F65K40, PIC18F66K40 and PIC18F67K40 device families available in 44L and 64L TQFP

PIC18F45Q24-E/PT

PIC18F46Q24-E/PT

PIC18F45Q24-I/PT

PIC18F46Q24-I/PT

PIC18F45Q24T-I/PT

PIC18F46Q24T-I/PT

PIC18F67K40-E/PT

PIC18F67K40-I/PT

PIC18F46Q10T-I/PT

PIC16F18876T-I/PT

PIC18F65K40T-E/PT

PIC18F65K40-E/PT

PIC18F65K40-I/PT

PIC18F66K40T-E/PT

PIC18F66K40-I/PT

PIC18F66K40-E/PT

PIC16F19195-E/PT

PIC16F19195-I/PT

PIC18LF67K40-E/PT

PIC16F19196-E/PT

PIC16F19197-E/PT

PIC16LF19195-E/PT

PIC16F18877T-I/PT

PIC16LF18877T-I/PT

PIC18F47K40T-I/PT

PIC18LF47K40T-I/PT

PIC18F45K40T-I/PT

PIC18F46K40T-I/PT

PIC18LF45K40T-I/PT

PIC18F47Q10-E/PT

PIC18LF46K40T-I/PT

PIC16F18875-I/PT

PIC16F18875T-I/PT

PIC16F18875-E/PT

PIC18F47Q84T-E/PT

PIC18F44Q71-E/PT

PIC18F45Q71-E/PT

PIC16LF18876-E/PT

PIC16LF18876-I/PT

PIC16LF18876T-I/PT

PIC18F46Q71-E/PT

PIC18F46Q71-I/PT

PIC18F46Q71T-I/PT

PIC18LF66K40-I/PT

PIC16LF18877-E/PT

PIC16LF18877-I/PT

PIC16F19176-I/PT

PIC16F18876-E/PT

PIC16F18876-I/PT

PIC16F18876T-E/PT

PIC16F18877-E/PT

PIC16F18877-I/PT

PIC18F45K40-E/PT

PIC16LF19197T-I/PTC04

PIC16LF19197T-I/PTC05

PIC18LF67K40-I/PT

PIC18F65K40T-I/PT

PIC18F66K40T-I/PT

PIC18LF65K40T-I/PT

PIC18LF66K40T-I/PT

PIC16F19195T-I/PT

PIC16F19196T-I/PT

PIC16F19197T-I/PT

PIC16LF19195T-I/PT

PIC16LF19196T-I/PT

PIC16LF19197T-I/PT

PIC16F19197T-E/PT

PIC16LF19197T-E/PT

PIC18F67K40T-I/PT

PIC18LF67K40T-I/PT

PIC18LF65K40-E/PT

MAAN-13VIEO815 - CCB 7138.001 Final Notice: Qualification of CuPdAu as a new wire material and QMI519 as a new die attach material for selected PIC16F1537x, PIC16F1887x, PIC16F1917x, PIC16F1919x, PIC18F44Q71, PIC18F45K4x, PIC18F45Qxx, PIC18F46K4x, PIC18F46Qxx, PIC18F47K4x, PIC18F47Qxx, PIC18F65K40, PIC18F66K40 and PIC18F67K40 device families available in 44L and 64L TQFP

PIC18LF66K40-E/PT

PIC18LF65K40-I/PT

PIC18F46K40-E/PT

PIC18F45K40-I/PT

PIC18F46K40-I/PT

PIC18F46K40T-E/PT

PIC18F47K40-E/PT

PIC18F47K40-I/PT

PIC18F47Q43-E/PT

PIC18F47Q43-I/PT

PIC18F47Q43T-I/PT

PIC18F47Q10-I/PTC01

PIC18F47Q10T-I/PTC01

PIC16LF18877T-I/PTRA3

PIC18F47Q83-E/PT

PIC18F47Q84-E/PT

PIC18F47Q83-I/PT

PIC18F47Q84-I/PT

PIC18F47Q83T-I/PT

PIC18F47Q84T-I/PT

PIC18F46Q83-E/PT

PIC18F46Q84-E/PT

PIC18F46Q83-I/PT

PIC18F46Q84-I/PT

PIC18F45Q10-E/PT

PIC18F46Q10-E/PT

PIC18F46Q43-E/PT

PIC18F46Q43-I/PT

PIC18LF47K40-E/PT

PIC18LF47K40-I/PT

PIC18LF45K40-E/PT

PIC18LF46K40-E/PT

PIC18LF45K40-I/PT

PIC18LF46K40-I/PT

PIC18LF46K40T-E/PT

PIC18LF45K42-I/PT

PIC18F45K42-I/PT
PIC18LF46K42-I/PT
PIC18F46K42-I/PT
PIC18LF45K42T-I/PT
PIC18F45K42T-I/PT
PIC18LF46K42T-I/PT
PIC18F46K42T-I/PT
PIC18F47K42-E/PT
PIC18LF47K42-E/PT
PIC18F47K42-I/PT
PIC18LF47K42-I/PT
PIC18F47K42T-I/PT
PIC18LF47K42T-I/PT
PIC18F47Q10-I/PT
PIC18F47Q10T-I/PT
PIC18F45Q10-I/PTC02
PIC18F45Q10-I/PT
PIC18F46Q10-I/PT
PIC18F44Q71-I/PT
PIC18F45Q71-I/PT
PIC18F44Q71T-I/PT
PIC18F45Q71T-I/PT
PIC16F15375T-I/PT
PIC16F15376T-I/PT
PIC16F15375-I/PT
PIC16F15375-E/PT
PIC16F15376-E/PT
PIC16F15376-I/PT
PIC18F46Q43T-I/PT
PIC16LF18875T-I/PT
PIC16LF18875-E/PT
PIC16LF18875-I/PT
PIC16F19175-I/PT
PIC16LF19175-I/PT
PIC16LF19176-I/PT

MAAN-13VIEO815 - CCB 7138.001 Final Notice: Qualification of CuPdAu as a new wire material and QMI519 as a new die attach material for selected PIC16F1537x, PIC16F1887x, PIC16F1917x, PIC16F1919x, PIC18F44Q71, PIC18F45K4x, PIC18F45Qxx, PIC18F46K4x, PIC18F46Qxx, PIC18F47K4x, PIC18F47Qxx, PIC18F65K40, PIC18F66K40 and PIC18F67K40 device families available in 44L and 64L TQFP

PIC16LF15375-E/PT

PIC16LF15376-E/PT

PIC16LF15375-I/PT