


CCB 8280
Pre and Post Change Summary
PCN #: CAAN-20JGKC128




A Leading Provider of Smart, Connected and Secure Embedded Control Solutions



SMART | CONNECTED | SECURE


Cover Tape (Tape and Reel)




Plant	Width W (mm)	Thickness T (mm)	Color	Sealing Methodology
SIGT	9.30 ±0.1	0.052 ±0.005	Clear	Heat sealing
MTAI	9.05 +0.05/-0.15	0.050 ±0.010	Clear	Heat sealing

Plastic Reel (Tape and Reel)

SIGT




MTAI




Plant	Reel Diameter (mm)	Reel Hub Size (mm)	Reel Width Max (mm)	Color
SIGT	330 ± 2.0	102 ± 2.0	18.20	White
MTAI	330 ± 2.0	100 ± 2.0	18.40	Dark Blue

Bag (Tape and Reel)

SIGT







MTAI



Plant	Bag type	Bag type	Length (mm)	Width (mm)	Thickness (mm)
SIGT	MSL-3	Moisture Barrier Bag	450 +3/-3	420 +3/-3	0.180 ±0.01
MTAI	MSL-3	Moisture Barrier Bag	420 +6/-0	370 +6/-0	0.1016

Tray

SIGT	MTAI
<p>Supplier A</p> 	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Supplier A</p>  </div> <div style="text-align: center;"> <p>Supplier B</p>  </div> </div> <div style="text-align: center; margin-top: 20px;">  <p>Supplier C</p> </div>

Plant	Supplier Part	Bakeable (Temp C)	Row	Col	Unit per Tray	Color	Tray Stack
SIGT	Supplier A	150 °C MAX	14	35	490	Black	10+1
MTAI	Supplier A	150 °C MAX	14	35	490	Black	10+1
	Supplier B	150 °C MAX	14	35	490	Black	10+1
	Supplier C	150 °C MAX	14	35	490	Black	10+1


Bag (Tray)



Plant	Moisture Sensitivity Level	Bag type	Length (mm)	Width (mm)	Thickness (mm)
SIGT	MSL- 3	Moisture Barrier Bag	570	300	0.18
MTAI	MSL-3	Moisture Barrier Bag	560 +6/-0	280 +6/-0	0.1702


Desiccant (Tape and Reel and Tray)

SIGT



Desiccant each unit is 33 g


MTAI



Desiccant each unit is 33g

Humidity Indicator Card (HIC) (Tape and Reel and Tray)

SIGT



- 3 Dots (5%, 10%, 60%)
- Cobalt Free

MTAI



- 3 Dots (5%, 10%, 60%)
- Cobalt Free


Packing Method (Tape and Reel)

SIGT



Inner box
Dimension
W x L x H (cm)
35.6x34x5mm

MTAI



Inner box
Dimension
W x L x H (cm)
37x35.1x5.3


Packing Method (Tray)

SIGT

MTAI



Inner box
Dimension
W x L x H (cm)
16.2x37.1x8.8



Inner box
Dimension
W x L x H (cm)
16.2x37.1x8.8